





Craftsman Futon Frame



1 Left Arm	1pc
2 Right Arm	1pc
3 Back Deck	1pc
4 Seat Deck	1pc
5 Front Stretcher	1pc
6 Back Stretcher	1pc

Craftsman Hardware




a 4 1/4" bolts	4pcs
b barrel nuts	8pcs
c 1.5" bolts	8pcs
d nylon glides	4pcs
e clevis pin	2sets
g allen wrench	1pc
h wooden dowels	4pcs
i 3 3/4" bolts	4pcs


Assembly Instructions

1) Attach Arms To Stretchers



Tap dowels(h) all the way into the middle hole at each end of the stretchers.




Using four 4 1/4" bolts(a) for front rail, four 3 3/4" bolts(i) for back rail, and eight barrel nuts(b), attach the arms loosely to the stretchers as shown. Use a screwdriver to help align barrel nut opening with the bolt.




2) Attach seat deck and back deck together: Lay seat deck and back deck on flat surface as shown. Make sure stickers marked "TOP" are facing up. Attach seat and back at each end using clevis pin(e), locking pin, and washers as shown.




3) **Attach nylon glides to back deck:** Using the 1.5" bolts(c), attach the nylon glides(d) as shown.



4) **Insert assembled seat&back decks into arms:** With two people, slowly lower the seat and back deck into the loosely assembled arm and stretcher unit as shown.




Align nylon glides with routed out slots as shown.




5) **Tighten arm bolts (a) & (i) to secure seat and back decks:** Using allen wrench (g), tighten up the 4 1/4" bolts (a), that are loosely attached. Do not over-tighten as you may strip the allen receptical on the bolt. Repeat this process for the 3 3/4" (i) bolts.

Operating Instructions

Sitting Position



Bed Position




Full operation from sitting to sleeping


Push to lock




Lock in bed position.



Pull out to unlock - Don't forget!



From the back: Lift up to sitting position.



From the front: Pull back on the mattress and push into final position with your leg.